**Annex B**

## Additions and Changes to the Commercial Designations Schedule

**N.B. New Additions shown in bold, amendments shown in strikethrough and bold.**

| **Column 1** | **Column 2** |
|---|---|
| Commercial designation | Species of fish |
| **Sea Fish** | |
| Anchovy | All species of the family *Engraulidae* |
| **Argentines** | **All species of the family *Argentinidae*** |
| Barracuda | All species of *Sphyraena* |
| Barramundi | *Lates calcarifer* |
| Bass *or* Sea bass | *Dicentrarchus labrax* (L.) |
| Japanese sea bass | *Lateolabrax japonicus* |
| Spotted sea bass | *Dicentrarchus punctatus* |
| Southern rock bass | *Paralabrax callaensis* |
| Bigeye | All species of *Priacanthus* |
| Bluefish *or* Tailor | *Pomatomus saltatrix* |
| Bogue | *Boops boops* |
| Bonito | All species of *Sarda*<br>All species of *Euthynnus*, with the exception of *Euthynnus (Katsuwonus) pelamis*<br>All species of *Auxis* |
| Brill | *Scophthalmus rhombus* (L.) |
| Brisling | *Sprattus sprattus* (L.) when canned |
| Catfish *or* Rockfish *or* Wolffish | All species of *Anarhichas* |
| **Sea catfish** | **All species of the family *Ariidae*** |
| Cobia | *Rachycentron canadum* |

**Annex B**

| **Column 1** | **Column 2** |
|---|---|
| Cod *or* Codling | *Gadus morhua* |
| Pacific cod *or* Cod | *Gadus macrocephalus* |
| Greenland cod *or* Cod | *Gadus ogac* |
| Saffron cod | *Eleginus gracilis* |
| Red cod | *Pseudophycis bachus* |
| Blue cod | *Parapercis colias* |
| Coley *or* Saithe *or* Coalfish | *Pollachius virens* (L.) |
| Conger | All species of *Conger* |
| Croaker *or* Drum *or* Jewfish | All species of the family *Sciaenidae* |
| | **Alternatively the following may be used** |
| **Southern meagre *or* Mulloway** | ***Argyrosomus hololepidotus*** |
| **Meagre** | ***Argyrosomus regius*** |
| Dab | *Limanda limanda* (L.) |
| Yellowtail dab ***or* Yellowtail flounder** | *Limanda ferruginea* |
| Pacific sand dab | *Citharichthys sordidus* |
| **Yellowfin sole** | ***Limanda aspera*** |

**Annex B**

| **Column 1** | **Column 2** |
|---|---|
| Dogfish *or* Flake *or* Huss *or* Rigg *or* Rock Salmon *or* Rock Eel | All species of *Galeorhinus*<br>All species of *Mustelus*<br>All species of *Scyliorhinus*<br>*Galeus melastomus*<br>*Squalus acanthias* (L.) |
| **Silky shark *or* Shark** | ***Carcharhinus falciformis*** |
| **Blacktip shark *or* Shark** | ***Carcharhinus limbatus*** |
| **Sandbar shark *or* Shark** | ***Carcharhinus plumbeus*** |
| **Basking shark *or* Shark** | ***Cetorhinus maximus*** |
| **Shortfin mako *or* Shortfin mako shark *or* Shark** | ***Isurus oxyrinchus*** |
| **Porbeagle *or* Shark** | ***Lamna nasus*** |
| **Blue shark *or* Shark** | ***Prionace glauca*** |
| **Whale shark *or* Shark** | ***Rhincodon typus*** |
| Dory *or* John Dory *or* St Peter's fish | *Zeus faber* (L.) |
| Eel | All species of *Anguilla* |
| Emperor | All species of *Lethrinus* |
| Escolar *or* Snake Mackerel | All species of the family *Gempylidae* |
| Flounder | *Platichthys flesus* (L.) |
| **Speckled flounder** | ***Paralichthys woolmani*** |
| Flying fish | All species of the family *Exocoetidae* |
| **Garfish** | ***Belone belone*** |
| Greenling | *Ophiodon elongatus* |
| Grouper | All species of *Mycteroperca*<br>All species of *Epinephelus* |
| Gurnard | All species of the family *Triglidae*<br>*Peristedion cataphractum* (L.) |
| Haddock | *Melanogrammus aeglefinus* (L.) |

**Annex B**

| **Column 1** | **Column 2** |
|---|---|
| Hake | All species of *Merluccius*<br><br>Alternatively, the following may be used |
| Cape hake | *Merluccius capensis*<br>*Merluccius paradoxus* |
| White hake | *Urophycis tenuis* |
| Halibut | *Hippoglossus hippoglossus* (L.)<br>*Hippoglossus stenolepis* |
| **Greenland ~~Black~~** halibut *or* Mock halibut | *Reinhardtius hippoglossoides* (Walbaum) |
| Herring | *Clupea harengus* (L.) |
| Hilsa | *Tenualosa ilisha* |
| Hoki | *Macruronus novaezelandiae* |
| Chilean hoki | *Macruronus magellanicus* |
| **Indian mackerel** | **All species of *Rastrelliger*** |
| Jack *or* Scad *or* Horse Mackerel *or* Trevally | All species of *Caranx*<br>All species of *Hemicaranx*<br>All species of *Seriola*<br>All species of *Trachurus*<br>All species of *Decapterus*<br><br>**Alternatively the following may be used** |
| **Yellowtail *or* Amberjack** | ***Seriola lalandi*** |
| Kingklip | *Genypterus capensis* |
| Ladyfish | All species of the family *Elopidae* |
| **Leerfish** | ***Lichia amia*** |
| Ling | All species of *Molva* **except *Molva dypterygia*** |
| **Blue ling** | ***Molva dypterygia*** |
| Lumpfish *or* Lumpsucker | *Cyclopterus lumpus* |

**Annex B**

| **Column 1** | **Column 2** |
|---|---|
| Mackerel | All species of *Scomber* |
| King Mackerel *or* Kingfish | *Scomberomorus cavalla* |
| **Sierra mackerel *or* Pacific sierra** | ***Scomberomorus sierra*** |
| Mahi Mahi | *Coryphaena hippurus* |
| Marlin | All species of *Makaira* |
| Megrim | All species of *Lepidorhombus* |
| Milkfish | *Chanos chanos* |
| Monk(fish) *or* Angler(fish) | *Lophius piscatorius* (L.)<br>*Lophius americanus*<br>***Lophiodes caulinaris***<br>***Lophius budegassa*** |
| Cape monk(fish) *or* Cape angler(fish) | *Lophius vomerinus* |
| ~~**Red mullet**~~ | ~~**All species of Mullus**~~ |
| **Red mullet *or*** Goatfish | All ~~**other**~~ species of the family *Mullidae* |
| Grey mullet | **All species of the family *Mugilidae***<br>~~**All species of Mugil**~~<br>~~**All species of Liza**~~<br>~~**All species of Chelon**~~ |
| Opah *or* Moonfish | All species of *Lampris* |
| Orange roughy | *Hoplostethus atlanticus* |
| Parrotfish | All species of the family *Scaridae* |
| **Peruvian moonfish** | ***Selene peruviana*** |
| Picarel | *Spicara smaris* |
| Pilchard | *Sardina pilchardus* (Walbaum) |
| Pacific pilchard | *Sardinops sagax* that has been caught in the Pacific Ocean. |
| South Atlantic pilchard | *Sardinops sagax* that has been caught in the South Atlantic Ocean. |
| Plaice | *Pleuronectes platessa* (L.) |
| American plaice | *Hippoglossoides platessoides* (Fabr.) |

**Annex B**

| **Column 1** | **Column 2** |
|---|---|
| Pollack *or* Pollock *or* Lythe | *Pollachius pollachius* (L.) |
| Pacific pollack *or* Pacific pollock *or* Alaska pollack *or* Alaska pollock | *Theragra chalcogramma* (Pallas) |
| Pomfret *or* Butterfish | All species of *Brama*<br>All species of *Stromateus*<br>All species of *Pampus* |
| Poor cod | *Trisopterus minutus* |
| Pout *or* Pout Whiting *or* Pouting *or* Bib | *Trisopterus luscus* |
| **Racasse *or* Black scorpionfish** | ***Scorpaena porcus*** |
| Rainbow runner | *Elagatis bipinnulata* |
| Redfish *or* Ocean perch *or* Rose fish | All species of *Sebastes*<br>All species of *Helicolenus* |
| Sablefish | *Anoplopoma fimbria* |
| Sailfish | All species of *Istiophorus* |
| Sardine | Small *Sardina pilchardus* (Walbaum) |
| Sardinella | All species of *Sardinella* |
| Scabbard fish *or* Sabre *or* Sabre fish *or* Silver sabre *or* Black sabre | *Lepidopus caudatus*<br>*Aphanopus carbo* |
| Sea bream *or* Porgy | All species of the family *Sparidae* except *Boops boops* |
| Sild | Small *Clupea harengus* (L.), when canned<br>Small *Sprattus sprattus* (L.), when canned |
| **Silverside *or* Sand smelt** | **All species of the family *Atherinidae*** |
| Skate *or* Ray ~~**or Roker**~~ | **All species of the family *Rajidae*** ~~***Raja***~~ |
| **Roker** | ***Raja clavata*** |
| **Small sandeel** | ***Ammodytes tobianus*** |
| Smelt *or* Sparling | All species of *Osmerus* |

**Annex B**

| **Column 1** | **Column 2** |
|---|---|
| Snapper | All species of the family *Lutjanidae*<br><br>Alternatively, the following may be used |
| Jobfish | All species of *Aphareus*<br>All species of *Aprion*<br>All species of *Pristipomoides* |
| Snook | All species of *Centropomus* |
| Sole *or* Dover sole | *Solea solea* (L.) |
| Butter sole | *Isopsetta isolepis* |
| Californian sole | *Parophrys vetulus* |
| Lemon sole | *Microstomus kitt* (Walbaum) |
| Petrale sole | *Eopsetta jordani* |
| Rex sole *or* Long-finned sole | *Glyptocephalus zachirus* |
| Rock sole | *Lepidopsetta bilineata* |
| Pacific sole | *Microstomus pacificus* |
| Torbay sole *or* Witch | *Glyptocephalus cynoglossus* (L.) |
| Sprat | *Sprattus sprattus* (L.), except when canned |
| **Stargazer** | **All species of the family *Uranoscopidae*** |
| Swordfish | *Xiphias gladius* |
| Tarpon | All species of the family *Megalopidae* |
| Threadfin bream | All species of *Nemipterus* |
| Toothfish *or* Icefish | *Dissostichus mawsoni*<br>*Dissostichus eleginoides* |

**Annex B**

| Column 1 | Column 2 |
|---|---|
| **Torpedo sand perch** | ***Diplectrum maximum*** |
| Tuna *or* Tunny | All species of *Thunnus* |
| Skipjack tuna (*or* tuna) | *Katsuwonus pelamis* |
| Albacore tuna (*or* tuna) | *Thunnus alalunga* |
| Yellowfin tuna (*or* tuna) | *Thunnus albacares* |
| Bluefin tuna (*or* tuna) | *Thunnus thynnus* |
| **Pacific bluefin tuna *or* Oriental bluefin tuna (*or* tuna)** | ***Thunnus orientalis*** |
| **Southern bluefin tuna (*or* tuna)** | ***Thunnus maccoyii*** |
| Bigeye tuna (*or* tuna) | *Thunnus obesus* |
| Turbot | *Psetta maxima* |
| Wahoo | *Acanthocybium solandri* |
| **Weever** | **All species of the family *Trachinidae*** |
| Whitebait | Small *Clupea harengus* (L.)<br>Small *Sprattus sprattus* (L.)<br>(except when canned) |
| Whiting | *Merlangius merlangus* (L.) |
| Blue whiting | *Micromesistius poutassou* (Risso) |
| Southern blue whiting | *Micromesistius australis* |
| Winter flounder | *Pseudopleuronectes americanus* (Walbaum) |
| **Wrasse** | **All species of the family *Labridae*** |

| **Salmon and Freshwater Fish** | |
|---|---|
| Bacha | *Eutropiichthys vacha* |
| Batashi | *Pseudeutropius atherinoides* |

**Annex B**

| Column 1 | Column 2 |
|---|---|
| Carp | All species of the family *Cyprinidae*<br><br>Alternatively the following may be used |
| Mowrala | *Amblypharyngodon mola* |
| Banspata | *Danio devario* |
| Bata | *Labeo bata* |
| Kalibous | *Labeo calbasu* |
| Ghania | *Labeo gonius* |
| Ruhi | *Labeo rohita* |
| Punti | *Puntius sarana* |
| Chelapata | *Salmostoma bacaila* |
| **Barbel** | ***Barbus barbus*** |
| **Tench** | ***Tinca tinca*** |
| **Freshwater bream** | ***Abramis brama*** |
| **Roach** | ***Rutilus rutilus*** |

**Annex B**

| **Column 1** | **Column 2** |
|---|---|
| Catfish *or* American catfish *or* Channel catfish | All species of the family *Ictaluridae* |
| Catfish | All species of the family *Clariidae*<br>All species of the family *Siluridae*<br>All species of the family *Bagridae*<br>**All species of the family *Pimelodidae***<br><br>Alternatively the following may be used<br>Magur<br>*Clarias batrachus*<br>Gulsha<br>*Mystus bleekeri*<br>Buzuri<br>*Mystus tengara*<br>Tengra<br>*Mystus vittatus*<br>Pabda<br>*Ompok pabda*<br>Ayre<br>*Sperata aor*<br>Boal<br>*Wallago attu* |
| Chapila | *Gudusia chapra* |
| Char | All species of *Salvelinus* |
| Kakila | *Xenentodon cancila* |
| Keski | *Corica soborna* |
| Khalisha | *Colisa fasciatus* |
| Koi | *Anabas testudineus* |
| Largebaim | *Mastacembelus armatus* |
| Meni | *Nandus nandus* |
| Nile Perch | *Lates niloticus* |
| Pacific dory *or* Vietnamese sole | *Pangasius bocourti* |
| **Pacu** | ***Piaractus mesopotamicus*** |
| Patabaim | *Macrognathus aculeatus* |
| **Pike or Northern pike** | ***Esox lucius*** |
| Queen fish | *Botia dario* |

**Annex B**

| Column 1 | Column 2 |
|---|---|
| River cobbler | *Pangasius micronemus*<br>*Pangasius hypophthalmus* |
| Salmon *or* Atlantic salmon | *Salmo salar* (L.)* |
| Cherry salmon *or* Pacific salmon | *Oncorhynchus masou masou** |
| Chum salmon *or* Keta salmon | *Oncorhynchus keta* (Walbaum)* |
| Medium red salmon *or* Coho salmon *or* Silver salmon | *Oncorhynchus kisutch* (Walbaum)* |
| Pink salmon | *Oncorhynchus gorbuscha* (Walbaum)* |
| Red salmon *or* Sockeye salmon | *Oncorhynchus nerka* (Walbaum)* |
| Spring salmon *or* King salmon *or* Chinook salmon *or* Pacific salmon | *Oncorhynchus tshawytscha* (Walbaum)* |
| Shol | *Channa striata* |
| Taki | *Channa punctata* |
| **Tambaqui *or* Cachama** | ***Colossoma macroponum*** |
| Tilapia | All species of *Tilapia*<br>All species of *Oreochromis* |
| Trout *or* Brown trout | *Salmo trutta trutta* (L.) which has spent all of its life in fresh water |
| Sea trout *or* Salmon trout | *Salmo trutta trutta* (L.) which has spent part of its life in sea water |
| Cut-throat trout *or* trout | *Oncorhynchus clarki clarki* |
| Rainbow trout *or* Steelhead trout *or* trout | *Oncorhynchus mykiss* |
| **Zander or Pike-perch** | ***Stizostedion lucioperca*** |
| **Shellfish** | |
| Abalone *or* Ormer | All species of *Haliotis* |

**Annex B**

| Column 1 | Column 2 |
|---|---|
| **Ark clam or Arkshell** | **All species of the family *Arcidae*** |
| Clam *or* Hard shell clam | *Mercenaria mercenaria* (L.)<br>*Venus verrucosa* (L.) |
| Clam *or* Razor clam ***or*** **Razor shell** | All species of *Ensis* and *Solen* |
| Geoduck *or* Geoduck clam | *Panopea abrupta* |
| **Manila clam *or* Japanese carpet shell** | ***Tapes philippinarum***<br>***Ruditapes philippinarum*** |
| **Native clam *or* Grooved carpet shell** | ***Tapes decussatus***<br>***Ruditapes decussatus***<br>***Venerupis decussa*** |
| **Soft shell clam *or* Gapers** | ***Mya spp*** |
| Surf clam | All species of *Spisula* |
| Cockle | All species of *Cerastoderma* |
| **Dog cockle** | ***Glycymeris glycymeris*** |
| Crab | All species of the order *Brachyura*<br>All species of the family *Lithodidae* |
| Crayfish | All species of the family *Astacidae*<br>All species of the family *Parastacidae*<br>All species of the family *Austroastacidae*<br>All species of the family *Cambaridae* |
| Cuttlefish | All species of *Sepia*<br>*Rossia macrosoma* |

**Annex B**

| **Column 1** | **Column 2** |
|---|---|
| Lobster | All species of *Homarus* |
| Slipper lobster | All species of the family *Scyllaridae* |
| Squat lobster | All species of the family *Galatheidae* |
| Crawfish *or* Spiny lobster *or* Rock lobster | All species of *Panulirus*<br>All species of *Palinurus*<br>All species of *Jasus* |
| Indian ocean lobster ***or*** **Whip lobster** | *Puerulus sewelli*<br>***Puerulus carinatus***<br>***Puerulus angulatus*** |
| Mussel | All species of the family *Mytilidae* |
| Octopus | All species of *Octopus* |
| Oyster | All species of *Crassostrea*<br>All species of *Ostrea* |
| Oyster *or* Portuguese oyster | *Crassostrea angulata* (Lmk.) |
| Oyster *or* Pacific oyster *or* Rock oyster | *Crassostrea gigas* (Thunberg) |
| Oyster *or* Native oyster | *Ostrea edulis* (L.) |

**Annex B**

| Column 1 | Column 2 |
|---|---|
| Prawn *or* Shrimp | Whole fish (of a size which, when cooked, have a count of less than 397 per kg) or tails (of a size which, when peeled and cooked, have a count of less than 1,323 per kg) of -<br>all species of the family *Palaemonidae*,<br>all species of the family *Penaeidae*,<br>**all species of the family *Aristidae,***<br>and<br>all species of the family *Pandalidae* |
| King prawn | All species of the family *Palaemonidae*<br>All species of the family *Penaeidae*<br>**All species of the family *Aristidae***<br>Where the count is less than<br>123 per kg (head on/shell on) or less than<br>198 per kg (head off/shell on) or less than 242 per kg (head off/shell off) |
| Tiger prawn | *Penaeus monodon*<br>*Penaeus semisulcatus*<br>*Penaeus esculentus*<br>*Penaeus kerathurus*<br>*Penaeus japonicus*<br>*Parapenaeopsis hardwickii*<br>*Parapenaeopsis sculptilis* |
| Scallop *or* King scallop | *Pecten maximus* |
| Atlantic scallop *or* Scallop | *Placopecten magellanicus* |
| Queen scallop *or* Queen *or* Scallop | *Chlamys (Aequipecten) opercularis* |
| Scallop *or* Common scallop | All species of the family *Pectinidae* |

**Annex B**

| Column 1 | Column 2 |
|---|---|
| Scampi *or* Norway lobster *or* Dublin Bay prawn *or* Langoustine | *Nephrops norvegicus* (L.) |
| Pacific scampi | *Metanephrops andamanicus*<br>*Metanephrops challengeri*<br>*Metanephrops thomsoni* |
| **Sea urchin** | **All species of the family *Echinidae*** |
| Shrimp | Whole fish (of a size which, when cooked, have a count of 397 per kg or more) or tails (of a size which, when peeled and cooked, have a count of 1,323 per kg or more) of -<br>all species of the family *Palaemonidae*,<br>all species of the family *Penaeidae*,<br>**all species of the family *Aristidae,***<br>and<br>all species of the family *Pandalidae* |
| Shrimp *or* Pink shrimp | *Pandalus montagui* |
| Shrimp *or* Brown shrimp | All species of *Crangon* |
| **Mantis shrimp** | ***Squilla mantis*** |
| Squid | All species of *Loligo*<br>All species of *Illex*<br>*Ommastrephes sagittatus* |
| Arrow Squid | *Nototodarus sloani*<br>*Nototodarus gouldi* |
| Whelk | All species of *Buccinum* |
| Winkle | All species of *Littorina* |